



Heras

Defensor, Interceptor cable with Dual Zone GD5000 Eliminator analyser.



Discontinued

Category: Detection Systems

Sub Category: Barrier Mounted Detection

Description

Built to BS 1722 Part 12 and consists of 'w' pales 3000mm above a concrete cill with a approximately 1000 mm diameter barbed tape concertina topping giving an overall height of approximately 3850mm above ground.



Manufacturer

Manufacturer Name:	Heras
Post Code:	DN4 8JP
Address Line 1:	APEX Building 1 Water Vole Way
Address Line 2:	Doncaster
State/County:	South Yorkshire
Telephone:	0808 164 2250
Website:	http://www.heras.co.uk
Email:	Sales@heras.co.uk

Specification

? PIDS installation on fence fabric:

A double run of Interceptor sensor cable is installed on the lower and upper Aris rails of the palisade fence fabric using plastic capping, and secured with GQTY-2 UV resistant cable ties spaced at intervals of no more than 500mm.

? PIDS installation in BTC topping:

A single run of Interceptor sensor cable in flexible armoured conduit (FAC) is installed in the BTC topping and secured to the topping using GQTY-1 UV resistant cable ties at every crossover point of the BTC coil.



Product Updates

REVISION DATE	COMMENT
01/04/2022	Discontinued by the manufacturer.