

Detection Technologies Ltd.

VibraSector - Barrier Mounted PIDS on Palisade with mesh backing with BTC Topping



Category: Detection Systems

Sub Category: Barrier Mounted Detection

Description

The system comprises a linear magnetic sensor cable (VibraTek VS) deployed along the fence line and connected via line modules to a VibraSector analyser.

Download Date: 29 / 04 / 2024



Manufacturer

Manufacturer Name:	Detection Technologies Ltd.
Post Code:	DE5 3GH
Address Line 1:	Unit A, Fairview Buildings
Address Line 2:	Heage Road Industrial Estate, Ripley
State/County:	Derbyshire
Telephone:	01773 744750
Website:	https://www.detection-technologies.com/
Email:	info@detection-technologies.com

Specification

The system has been assessed on the following fence types:

3000mm High Palisade and Mesh Fence with a 950mm diameter barbed tape concertina topping fitted this was supported on 2 No Galvanized line wires fixed to T bars fitted at each post.

The VibraTek VS sensor cable was installed in two horizontal runs of sensor with the lower run fixed to the 5th horizontal wire of the mesh fence just below the lower arris rail of the palisade fence, and the upper run fixed along the lower edge of razor coil topping above the BTC support wires. UV resistant cable ties were used to secure the sensor cable at intervals of 200mm. Details of the system settings used together with design drawings and specifications are available from NPSA on demand.

Download Date: 29 / 04 / 2024



NPSA recommend that 4 metal cable ties are used per bay. Additional cable ties used to meet the manufacturer's recommendations for fixings can be either metal or plastic.