



Intimus

intimus Disintegrators

Category: Secure Destruction - Equipment



Description

Media accepted - Magnetic tape, Optical disc, Paper,
SIM / Smart card Features

- ? Variable perforated screen size (i.e. hole diameter 2 – 20mm)
- ? Noise insulated feed slot
- ? Low wear, hardened steel blades
- ? Replaceable blades (can also be re-sharpened)
- ? Vacuuming unit



Manufacturer

Manufacturer Name:	Intimus
Country:	United Kingdom
Post Code:	RH10 9FZ
Address Line 1:	Unit 14 The Bell Centre
Address Line 2:	Newton Road
State/County:	West Sussex
Telephone:	(0)1293 441900
Email:	info@ecosystemltd.co.uk

Specification

Model - DIS 150/230

Throughput (Kg/hr) 40 - 60

Dimensions W X D X H (mm) - 640 X 790 X 1,250

Weight - gross (kg) - 293

Model DIS 200/410

Throughput (Kg/hr) 130 - 170



Dimensions W X D X H (mm) - 880 X 1,150 X 1,485

Weight - gross (kg) - 686

Model DIS 260/410

Throughput (Kg/hr) 210 - 320

Dimensions W X D X H (mm) - 880 X 1,150 X 1,485

Weight - gross (kg) - 885

Model DIS 300/450

Throughput (Kg/hr) 260 - 450

Dimensions W X D X H (mm) - 970 X 1,270 X 2,060

Weight - gross (kg) - 1,800

Model DIS 300/600

Throughput (Kg/hr) 350 - 530

Dimensions W X D X H (mm) - 1,240 X 1,270 X 2,060

Weight - gross (kg) - 1,950

Model DIS 600/1000

Throughput (Kg/hr) 930 - 1,410

Dimensions W X D X H (mm) - 1,250 X 2,540 X 3,480

Weight - gross (kg) - 4,700

All -



Noise - Less than 80dB(A) is achievable with sound proofing.