

Tindall Engineering Limited

MICO INT AD Range



Category: Doors, Portals, Turnstiles and Locking

Hardware

Sub Category: Locking Hardware

Description

The MICO INT Multipoint AD or EM as detailed below offers instant deadlocking upon door closure. Can be fitted with SATE override option which always gives the function of Single Action Panic & Emergency Escape, even if deadlocked from the external attack side. The MICO INT Multipoint range is manufactured from corrosion resistant material to meet BS EN 1670 Grade 5 classification as standard.

Download Date: 01 / 05 / 2024



Manufacturer

Manufacturer Name:	Tindall Engineering Limited		
Country:	United Kingdom		
Post Code:	OL2 6LH		
Address Line 1:	Unit 8 Laurel Trading Estate Higginshaw Lane Royton		
State/County:	Lancashire		
Telephone:	0161 620 0666		
Website:	https://www.mico-tindall.com/		
Email:	sales@mico-tindall.com		

Specification

Entry: Key Cylinder and Lever Handle - (To suit Scandinavian Oval Rim Cylinder as standard, other profiles available on request).

Exit: Rotate Thumbturn and depress Lever Handle. Single Action Escape via Handle, Push Pad or Full Width Push Plate if fitted with SATE function.

Model	Entry	Exit	Notes
MICO INT-3 AD3	Key and Lever	Internal Thumbturn and lever	



MICO INT-3 EM3 BSM / DSM + USCH2 12v A/C Swipe In; Guarded Key override

A/C Swipe Out; Breakdome Thumbturn Override Fully Monitored Bolt and Deadlock Status

Possible consideration for Physical security