

Heras

# Defensor, Interceptor cable with Dual Zone GD5000 Eliminator analyser.



**Category:** Detection and Tracking Systems

**Sub Category:** Barrier Mounted Detection

## Description

Built to BS 1722 Part 12 and consists of 2x pales 3000mm above a concrete cill with a approximately 1000 mm diameter barbed tape concertina topping giving an overall height of approximately 3850mm above ground.

## Manufacturer

Manufacturer Name: Heras

Country: N/A

Post Code: DN4 8WA

Address Line 1: Herons Way, Balby

Address Line 2: Doncaster

State/County: South Yorkshire

Telephone: 0808 164 2250

Fax: N/A

Website: [www.heras.co.uk](http://www.heras.co.uk)

Email: [Sales@heras.co.uk](mailto:Sales@heras.co.uk) / [Daniel.Burnstein@heras.co.uk](mailto:Daniel.Burnstein@heras.co.uk)

---

## Specification

? PIDS installation on fence fabric:

A double run of Interceptor sensor cable is installed on the lower and upper Aris rails of the palisade fence fabric using plastic capping, and secured with GQTY-2 UV resistant cable ties spaced at intervals of no more than 500mm.

? PIDS installation in BTC topping:

A single run of Interceptor sensor cable in flexible armoured conduit (FAC) is installed in the BTC topping and secured to the topping using GQTY-1 UV resistant cable ties at every crossover point of the BTC coil.

---