

Eagle Automation Systems Limited

Wylye Advanced 430 (unique product code 430A-200)



Category: Doors, Tubestiles, Turnstiles and Locking Hardware

Sub Category: Portals and Turnstiles

Standard Tested To: MFES v1.0 (External Perimeter) - MTAS V1.0

Description

The turnstile incorporated a rotor, with four columns of equi-spaced paddles (6 paddles in each column) set at 90 degrees to each other.

Manufacturer

Manufacturer Name: Eagle Automation Systems Limited

Country: United Kingdom

Post Code: CM16 6AP

Address Line 1: Unit 5, New House Farm, Vicarage Lane

Address Line 2: North Weald,

State/County: Essex

Telephone: +44 (0)1992 524800

Fax: N/A

Website: <https://www.eagleautogate.co.uk/>

Email: sales@eagleautogate.co.uk

Specification

Single full height rectangular turnstile with a cuboid chassis of nominal dimensions 1305 mm (width) by 1330 mm (depth) by 2153 mm (height).

The turnstile incorporated a rotor, with four columns of equi-spaced paddles (6 paddles in each column) set at 90 degrees to each other.

The turnstile is described on the following documents available from the manufacturer:

- 430A-200 (Revision 1) - Wylve Advanced 430 single full height security turnstile.

- 430A-C1 (Revision 1) - 430 ?Wylve Advanced? turnstile electrical control.
- 430A-900 (Revision 1) - 430A-200 turnstile installation method.

The turnstile will achieve the protection levels noted if:

- It is installed in a fence line offering commensurate resistance to forced entry, in accordance with CPNI?s recommendation for installation of this product within a fence line is illustrated below.
- It is configured in the ?fail locked? mode in both travel directions.

Operation of the turnstile is achieved from either side, either:

- Using a suitably rated access control reader, approved by CPNI, mounted to the side to be approached by the operator; or
 - A remotely controlled access control system, approved by CPNI, controlled from within the secure area.
-