

Generic bollard 273 mm (B4240)



Bollards | Static

Manufacturer: Multiple manufacturers (see specification)

Standard tested to: PAS 68:2010

Performance rating: V/7500[N2]/64/90:3.3/0.0

Manufacturer

Manufacturer Name:	Multiple manufacturers (see specification)
Country:	N/A
Post Code:	N/A
Address Line 1:	N/A
Address Line 2:	N/A
State/County:	N/A
Telephone:	N/A
Fax:	N/A
Website:	N/A
Email:	N/A

Specification

Foundation design must be approved by a Principal Member Grade of Hostile Vehicle Mitigation on the Register of Security Engineers and Specialists (RSES):

<https://www.ice.org.uk/ICEDevelopmentWebPortal/media/Documents/Careers/specialist-registers/RSES-Company-Competence-List.pdf>

Supplied by:

Avon Barrier Corporation Ltd - Scimitar 75/40 - <http://www.avon-barrier.com>

AVS-elli - BUX 01 - <https://www.avseli.com>

Eagle Automation Ltd - 40-ST(A) - <https://www.eagleautogate.co.uk/>
Frontier Pitts Ltd - Terra Neptune - <http://www.frontierpitts.com>
Guardiar - BLOKAD Static 40 - <https://www.guardiar.com>
Heald Ltd - HT1-SPARTA 64/XX - <http://www.heald.uk.com>
Heras - B956A - <http://www.heras.co.uk>
Highway Care Ltd - HCSS 64A - <https://www.highwaycare.com/security>
Hill and Smith - Bristorm Impeder 40 - <https://hill-smith.co.uk>
Jacksons Fencing Ltd - Harrier 2 - <https://www.jacksons-fencing.co.uk>
Leda-Vannaclip - IBR250FP68A - <https://www.ledasecurity.com.au>
Marshalls Mono Ltd - RhinoGuard Basic 273xXX - <http://www.marshalls.co.uk>
Securiscape Ltd - 273/64S - <http://www.securiscape.com>
Systra Ltd - B2 - <http://www.systra.co.uk>
Townscape Products Ltd - CT 40 N2/02 - <http://www.townscape24.com>
Zaun Limited - Terror Stopper 3 - <https://www.zaun.co.uk>

Foundation: C - Depth >0.5m below ground level
